



## GreenData Manager® DESKTOP EDITION

Compliance Data Management and Reporting Software  
for EU RoHS, EU REACH, and Other Environmental Regulations

### The Challenge: Compliance with EU RoHS, EU REACH, and More

Complying with global chemical regulations and directives like **EU RoHS** and **EU REACH SVHC** is difficult. Regulations evolve, customers have unique reporting requirements, and collecting and updating information is time-consuming.

The best way to manage compliance is to collect **Full Material Declaration (FMD)** data for all components from your suppliers. But how do you manage this data? How do you use the data to prove compliance? And how do you share that data across the company?

### The Solution: GreenData Manager Desktop Edition Software

**GreenData Manager Desktop Edition (GDM-DE)** software is a unique compliance tool for data storage, analysis, and reporting. **GDM-DE** software provides the power that manufacturers need to analyze complex chemical data on their parts and generate regulation-specific reports.

### A Robust Software Solution to Streamline Your Environmental Compliance

**GDM-DE** software is a powerful desktop application that helps you:

- Manage the collection and storage of compliance data and documents.
- Perform compliance validation and substance analysis for **27-built in regulations**, including **EU RoHS, EU REACH SVHC, California Proposition 65, China RoHS, Halogen Free**, and more. Or define your own rules per your customers' requirements.
- Produce compliance reports and full disclosure reports at the company-level, product family-level, or product-level.
- Generate due-diligence packages.

**GDM-DE** is installed at your facility behind your company's firewall so that your data and BOMs are protected. Plus, **GDM-DE** easily integrates with most ERP/PLM systems.

# GREENDATA MANAGER DESKTOP EDITION SOFTWARE (GDM-DE)



## GDM-DE Feature Highlights:

- Report **completeness status** on collected data or documents.
- Report **compliance status** on all parts or BOMs, and generate **compliance reports** for **EU RoHS**, **China RoHS**, **California Proposition 65**, **Halogen Free**, **EU REACH Annex-14**, **EU REACH Annex-17**, **EU REACH SVHC**, and other regulations. Or define your own compliance rules per your customers' requirements.
- Receive **online updates** of changes to regulations and substance data so that you're always dealing with the most up-to-date information.
- **Import** the component compliance data through Excel, IPC-1752A XML, or other formats.

**BONUS:** GreenSoft Technology also offers **hands-on data collection and validation services!** Let us collect compliance data from your supply chain on your behalf, and we'll import it into GDM-DE for you!

- Provide a **substance analysis** on all items with **roll-up capability** for aggregating weight or ppm to the product/BOM and company levels.
- Generate product-level **full disclosure reports** to show the full list of chemicals used in products.
- Generate **product disclosure reports** in Excel, IPC-1752A XML, and IEC 62474 XML formats.
- Plus, **GDM-DE** software has the capability to **classify and process articles** per the "Once-an-Article, Always-an-Article" definition under EU REACH.
- Install behind your **company's firewall** so that your data and BOMs are protected.
- Integrate with most **ERP/PLM systems**.

## CONTACT US

Learn More and Request a Demo

■ [info@greensofttech.com](mailto:info@greensofttech.com)

[www.greensofttech.com](http://www.greensofttech.com)

© 2024 GreenSoft Technology, Inc.

# GREENDATA MANAGER DESKTOP EDITION SOFTWARE (GDM-DE)



## A Complete Compliance Management System: How it Works

**GDM-DE** software helps you manage your product compliance data and documents via the following process:

### 1) Data Collection Management

- Import the data you have collected through Excel, IPC-152A XML, or have GreenSoft collect, validate, and import the data for you.
- Data can also be imported automatically through the Auto PartData Import Module.
- Examine and validate regulation compliance status, such as EU RoHS or EU REACH, and Exemption Status provided by suppliers.
- Validate aggregated substance weight against component weight or subpart weight with user-defined tolerance.
- Validate document collection status and expiration status and get alerts 30-days before the documents expire.

The screenshot displays the GreenData Manager DE software interface. At the top, there's a navigation bar with tabs for System, Conflict Minerals Management, Extended Minerals Management, Item Master, BOM, Reports, Help, and Custom. The user is logged in as System Administrator. The main area is titled 'Item Master' and provides a summary of the data: 35/25 Part Numbers (PN) and 20/268 Manufacturing Items (MFG) are listed. Below this, there are search filters for Internal PN, Manufacturer PN, and Description. A 'Status Filter' section allows users to filter by EU RoHS Status, R2, R3, R4, Expiry in, and MCY Version. An 'Action Panel' offers various options like 'Add New Item', 'Delete', 'Manage Second Sources', 'Set as Primary', and 'View Notifications'. The bottom section is the 'Item Master List' table, which includes columns for IPN, MFG, MFG PN, MFG Code, Description, Requirement Status, EU RoHS Status, R2 Status, R3 Status, R4 Status, Primary, Collection Status, MCD Type, Rule Category, Lifecycle, and Part Series/Family. The table lists several components with their respective compliance statuses.

IPN	MFG	MFG PN	MFG Code	Description	Requirement Status	EU RoHS Status	R2 Status	R3 Status	R4 Status	Primary	Collection Status	MCD Type	Rule Category	Lifecycle	Part Series/Family
0022-10034-22	ON SEMICONDUCTOR	TL431AIDG		C. ADJUSTABLE PRECISION SHUNT	●	●	●	●	●	Y	Completed and Deliv.	Full Disclosure		Active	
0022-10034-22	TEXAS INSTRUMENTS	TL431AIDG4		C. ADJUSTABLE PRECISION SHUNT	●	●	●	●	●	Y	Completed and Deliv.	Full Disclosure		Active	
0022-10036-005	MAXIM INTEGRATED PRODU.	MAX311TEUS-T		C.MPU RESET 3.0BV TRIP SOT-143-4	●	●	●	●	●	Y	Completed and Deliv.	Full Disclosure		Active	
0022-10036-005	STMICROELECTRONICS	STM311TW16F		C.MPU RESET 3.0BV TRIP SOT-143-4	●	●	●	●	●	Y	Completed and Deliv.	Full Disclosure		Active	
0022-10036-02	VENKEL	C2603C0G500-250NP		CAPACITOR, CERAMIC, 50V, C0G, 5%	●	●	●	●	●	Y	Completed and Deliv.	Full Disclosure		Active	
0022-10036-10	AUX	TAJA106K010R		CAP 3276, 10 UF, 10%, 10V TANT RoHS	●	●	●	●	●	Y	Completed and Deliv.	Full Disclosure		Active	
0022-10036-12	ON SEMICONDUCTOR	15MB170A3T3G		ZENER TRANSIENT VOLTAGE SUPP.	●	●	●	●	●	Y	Completed and Deliv.	None		Obsolete	
0022-10036-18	MCCOMP	MKC0505NP010Z1		CAP, 005, 1.0 NF, 5%, 100V, C0G, RoHS	●	●	●	●	●	Y	Completed and Deliv.	Full Disclosure		Active	
0022-10036-20	ROHM	RLS4143TE11C		Diode, Silicon Switching, 100V, 100mA	●	●	●	●	●	Y	Completed and Deliv.	Full Disclosure		Obsolete	
0022-10036-24	SAMTEC	SMM132 G2 S-S		CONN, SOCKET, 1X32 P-2MM, 30U" AU.	●	●	●	●	●	Y	Completed and Deliv.	Full Disclosure		Active	

## CONTACT US

Learn More and Request a Demo

■ [info@greensofttech.com](mailto:info@greensofttech.com)

[www.greensofttech.com](http://www.greensofttech.com)

© 2024 GreenSoft Technology, Inc.

# GREENDATA MANAGER DESKTOP EDITION SOFTWARE (GDM-DE)



## 2) Compliance Validation and Gap Analysis

- Determine compliance status of parts and BOMs immediately. Perform Gap Analysis on selected products/BOMs for incomplete parts or non-compliance parts instead of each BOM.
- Perform compliance validation on 27-built in regulations, or define your own rules.
- Perform compliance validation on one regulation for one BOM, or multiple regulations for multiple BOMs.
- Export compliance report and Gap Analysis report to Excel, or report BOM-level compliance in IPC-1752A or IEC 62474 formats.

BOM Details														
● : OK/Passed ● : Not Ready/Failed ● : Invalid Entry/Incomplete ● : Document Expired ● : Passed with Exemption ● : Subpart Info Incomplete ● : Subpart Failed ○ : Not Applicable														
Level	BOM ID/IPN	MFG Name	MPN	MFG Code	2nd Source	BOM Name/Description	Excluded	Match Status	Requirement Status	EU RoHS Status	R2 Status	R3 Status	R4 Status	Quantity
0	C15-Simple					Control Board M590 , DIV-15-1		●	●	●	●	●	●	
1	__1001-150							●	●	●	●	●	●	1
2	__0022-10036-02	VENKEL	C0603C0G500-2...			CAPACITOR, CERAMIC, 50V, CO...	No	●	●	●	●	○	●	15
2	__0022-10036-10	AVX	TAJA106K010R			CAP,3216,10 UF,10%,10V,TANT...	No	●	●	●	●	○	●	8
2	__0022-10036-005	MAXIM INTEGRATED PRO...	MAX811TEUS+T			IC,MPU RESET,3.08V TRIP,SO...	No	●	●	●	●	○	●	10
2	__0022-10036-12	ON SEMICONDUCTOR	1SMB170AT3G			ZENER TRANSIENT VOLTAGE ...	No	●	●	●	●	○	●	2

## 3) Product Compliance Report

- Validate compliance at the product-level on a specific compliance regulation or any customer-specific requirements.
- Roll-up weight and ppm for each substance or substance group at the product-level or at the component-level (as required under the definition of an “article” under EU REACH).
- Generate compliance status for each substance or substance group at the product-level.
- Conduct partial analysis during the data collection process and generate Gap Analysis report for incomplete parts.

## CONTACT US

Learn More and Request a Demo

■ [info@greensofttech.com](mailto:info@greensofttech.com)

[www.greensofttech.com](http://www.greensofttech.com)

© 2024 GreenSoft Technology, Inc.

# GREENDATA MANAGER DESKTOP EDITION SOFTWARE (GDM-DE)



## 3) Product Compliance Report (Continued)

- Perform Failure Analysis on BOMs that fail to comply with regulations or customer requirements, and generate Failure Analysis report.

**BOM SVHC Report**  
Generates an SVHC report for the selected BOM. You could then export the report to Excel. Double-click a row to generate the Substance Analysis Report.

**Action Panel**

Rule Name: REACH SVHC (235) Generate Close

BOM Profile: BOM ID: C15-Simple  
BOM Name: Control Board M590 , DIV-15-1  
Revision:  
Project Name:  
Mass (g): 98.116292000000  
Location: Global

\* BOM Mass has been calculated by aggregation.

Exclude parts with incomplete information  
 Include 2nd Source Export [Exception Report](#)

Item No	Type	Substance Name	CAS Number	EC Number	Threshold	Units	Compliance S
1	Substance	triethyl arsenate	15606-95-8	427-700-2	1000.000	ppm	Passed
2	Substance	Sodium dichromate	10588-01-9	234-190-3	1000.000	ppm	Passed
3	Substance	lead hydrogen arsenate	7784-40-9	232-064-2	1000.000	ppm	Passed
4	Group	Hexabromocyclododecane (HBCDD)			1000.000	ppm	Passed
5	Substance	Dibutyl phthalate (DBP)	84-74-2	201-557-4	1000.000	ppm	Passed

Item No	Internal PN	Manufacturer Name	Manufacturer PN	Description	2nd Source	Quantity	Units	Match Status	EU RoHS Status	EU RoHS CoC Status	EU RoHS PoC Status	EU RoHS PoC Notes	EU RoHS PaNC Status
1	0022-10036-02	VENKEL	C0603C0G500-220JNP	CAPACITOR, CERAMIC, 50V, COG, 5%, 0603, 22 PF, ROHS COMPLIANT	N	39	EA	Exact Match	Passed	<a href="#">CoC10_VENKEL_C0603C0G500-220JNP_060119.pdf</a>	Not Present		Not Present
2	0022-10036-10	AVX	TAJA106K010R	CAP,3216,10 UF,10%,10V,TANT,ROHS COMPLIANT	N	23	EA	Exact Match	Passed	<a href="#">CoC10_AVX_TAJA106K010R_111222.pdf</a>	Not Present		Not Present
3	0022-10036-12	ON SEMICONDUCTOR	15MB170AT3G	ZENER TRANSIENT VOLTAGE SUPPRESSOR, 170V, 600W, DO-214AA, ROHS COMPLIANT	N	2	EA	Exact Match	Incomplete	Not Present	Not Present		Not Present
4	0022-10036-18	NICCOMP	NMC0805NPO1021100TRPLPF	CAP,0805,1.0 NF,5%,100V,COG,ROHS COMPLIANT	N	12	EA	Exact Match	Passed	<a href="#">CoC10_NIC_NMC0805NPO1021100TRPLPF_111222.pdf</a>	Not Present		Not Present
5	0022-10036-20	ROHM	RLS4148TE11C2		N	4	EA	Exact Match	Passed with Exemption	<a href="#">CoC2-S_ROHM_RLS4148TE11C_121213.pdf</a>	Not Present		Not Present
6	0030-01150-002	VENKEL	CR0402-16W-6042FT	RES,0402,60.4K OHM,1%,1/16W,50V,ROHS COMPLIANT	N	7	EA	Exact Match	Passed with Exemption	<a href="#">CoC10_VENKEL_CR0402-16W-6042FT_060119.pdf</a>	Not Present		Not Present
7	0030-01150-003	YAGEO	RC0402FR-0760K-L	RES,0402,60.4K OHM,1%,1/16W,50V,ROHS COMPLIANT	N	13	EA	Exact Match	Passed with Exemption	<a href="#">CoC10_YAGEO_RC0402FR-0760K-L_122819.pdf</a>	Not Present		Not Present

## 4) Due Diligence Report for EU RoHS

- Generate BOM-level due diligence reports as part of the technical documents required for CE Mark per IEC EN 63000.
- List unique parts from the BOM with EU RoHS compliance status and due diligence documents such as Certificates of Compliance (CoCs), lab test reports, or FMD documents. All documents are hyperlinked and accessible through a simple click.

## CONTACT US

Learn More and Request a Demo

■ [info@greensofttech.com](mailto:info@greensofttech.com)

[www.greensofttech.com](http://www.greensofttech.com)

© 2024 GreenSoft Technology, Inc.

# GREENDATA MANAGER DESKTOP EDITION SOFTWARE (GDM-DE)



## 5) Product-Level Full Disclosure

- List of all substances used in the product (Product DNA).
- Roll-up weight and ppm for each substance to product-level.
- Product-level EU RoHS compliance status included.
- Product-level EU REACH SVHC compliance status included.
- Export product-level full-disclosure report to Excel, IPC-1752A XML, or IEC 62474 XML formats.
- Exception Report lists parts unavailable to be included in the product roll-up.

#	Substance Name	CAS Number	Mass (g)	Concentration (p.p.m.)	MCV (ppm) at Co.	MCV (ppm) at Art.	MCV (ppm) at Ho.
1	Strontium oxide	1314-11-0	0.007898475000	80.501	110762.516	130000.000	130000.000
2	Calcium oxide	1305-78-8	0.009113625000	92.886	127802.903	500000.000	150000.000
3	Zirconium oxide	1314-23-4	0.030378750000	309.620	426009.676	500000.000	500000.000
4	Titanium dioxide	13463-67-7	0.001253694000	12.778	17040.387	119788.608	119788.608
5	Quartz (SiO2)	14808-60-7	0.009113625000	92.886	127802.903	500000.000	150000.000
6	Trimanganese tetroxide	1317-35-7	0.003037875000	30.962	426009.676	500000.000	500000.000
7	Nickel	7440-02-0	0.087764912311	894.499	305000.000	1000000.000	1000000.000
8	Barium titanium trioxide	12047-27-7	0.012281500000	125.173	823943.662	991285.403	991285.403
9	Copper	7440-50-8	62.670289177528	638734.790	670226.969	1000000.000	1000000.000
10	Glass (Lead free)	7440-50-8	0.000367613400	3.747	5155.145	1199000.000	1199000.000
11	Tin	7440-31-5	1.313220400000	13384.326	49295.775	1000000.000	1000000.000

### Minimum Requirements:

- Microsoft Windows 10 or Windows Server 2016/2019
- Adobe Acrobat Reader 9.0 or above
- .NET Framework 4.8 or above
- CPU: 2GHz Dual Core or above; RAM: 8GB or above; HDD: 100GB or above

**GreenSoft**  
TECHNOLOGY, INC.



### Corporate Headquarters North America/Europe

GreenSoft Technology, Inc.  
155 S. El Molino, Suite 100  
Pasadena, CA 91101 USA

- Tel: (323) 254-5961
- info@greensofttech.com

### Asia/China/Taiwan/Japan

Jon Wu

- +886-912-307-627
- jwu@greensofttech.com

### Finland/Sweden/Norway

RoHS Management Oy

- +358-44-981-2787
- sales\_europe@rohsmanagement.com

### Israel

Rokah Technologies

- +972-3-9360688
- reuven@rokah-technologies.com