GreenSoft TECHNOLOGY, INC.

Your Partner in Compliance

Oystem Conflict Minor	wa Composen: Docessie Module) - p Bager WE with Compor	Nint Disclosure 14			
Die Inn Mader pape duckly nur	mater visit over 4	Vision Park Management Been Marater BCG on part with nonvolve data, parts that are not in co 1995 in their Rester March 186-51 2006 Rest			
Number of FN in Sens Master Island	Charles and a contract of the status labolate	on parts with incomplete data and	d Reports Help La	Sond in sec. In	
Hang Pg	Notes Org Notes	AFG in her of	the set maked an include	Randy Flinders	
Navdazuw PN		Salar Co.	C.	and parts with associated documents	
Marufacture: Description	Part Sores/Tandy	STATES SALA	C Exact search for int	and Manfacture du	
Anna Type		RJ Status RJ Status RJ Status	Requeeners States	Quer Cose	
Page Novigmon Chev		Ban- Old Selected.		or Seecado V Search	
rano Seloction	Real Francis Page 14	Dorva : Unit Selected:	Collection Status Chi Collection Phase	K Selected)	
Rule - RI EU RENS	Action Para	dist Selected.	· University Chies	Selected	
A2 AEACH SWIC (233)	ddi Sere have	Delas .	MCV Version	Selected: Percet / Percet / Percet / Percet	
MAS Scan	V Reather to		0.00	Selected > Peload	

GREENDATA MANAGER® SOFTWARE WORKGROUP EDITION

Environmental Compliance Data Management Reporting Tool for EU RoHS, EU REACH, and Other Regulations

The Challenge: Compliance with EU RoHS, EU REACH, and More

Complying with global chemicals regulations and directives such as **EU RoHS** and **EU REACH** is difficult. Regulations evolve, customers have unique reporting requirements, and collecting and updating information is not easy.

The best way to manage compliance is to collect **Full Material Disclosure (FMD)** data for all components in your products. But how do you collect that data from suppliers? How do you manage and store the data? And how do you share that information across the enterprise?

The Solution: GreenData Manager Workgroup Edition (GDM-WE) Software

GreenData Manager Workgroup Edition (GDM-

WE) software is a powerful client-server application tailored for medium to large enterprises. **GDM-WE** offers an inexpensive, comprehensive solution for global regulation compliance and product full disclosure of chemical substances in one easy-to-use package. The centralized component database for chemical substance data within **GDM-WE** can be accessed by multiple users in the same network, allowing you to:

- Manage the collection and storage of compliance data and documents.
- Perform compliance validation and substance analysis for 27 built-in regulations, including EU RoHS, EU REACH SVHC/Annex-17/Annex-14, California Proposition 65, China RoHS, and others. Or define your own rules per your customers' requirements.
- Generate compliance reports and full disclosure reports at the product-level, product family-level, or company-level.
- Install at your facility behind your company firewall so that your data and BOMs are securely protected.
- Import compliance data automatically, and import BOMs from ERP/PLM software programs automatically (optional).
- Integrate with common PLM or ERP systems.



Flexible Packages to Fit Your Needs

GreenData Manager Workgroup Edition (GDM-WE) can be scaled to meet your company's requirements:

Starter Package

- Server + 2-seat license
- 1st year of Maintenance free
- Client side can be Windows 7/8/10
- Centralized database on MS SQL Server

Additional Options

- Additional seat license is available
- Auto Download Module is available
- Auto BOM Import Module is available
- Conflict Minerals Module is available

Feature Highlights

- Report the completeness status on the data or documents that you have collected. BONUS: Sign up for our Data Services, and GreenSoft's data collection team will collect and validate the data from your suppliers for you!
- Report the compliance status on all parts or BOMs, and generate compliance reports for EU RoHS, EU REACH SVHC/Annex-17/Annex-14, California Proposition 65, China RoHS, and others. Or define your own rules per your customers' requirements.
- Receive online updates of changes to regulations and substance data so you're always dealing with the most up to date information.
- Import the component compliance data through Excel, IPC-1752 or IPC-1752A XML, or have GreenSoft collect the data and deliver to you through GreenSoft PartData XML format.
- Generate product-level **full disclosure reports** to show the full list of chemicals used in products.
- Generate product disclosure reports in Excel, IPC-1752 or IPC-1752A XML, and IEC 62474 XML formats.
- Keep data securely stored behind your own company firewall with the software downloaded on your own company server. All BOM level information is kept within your facility.
- Plus, GDM-WE software has the ability to classify and process articles per the updated definition of an "article" under EU REACH.

CONTACT US

Learn More and Request a Demo

info@greensofttech.com

www.greensofttech.com



A Complete Compliance Management System

For the full details on how **GreenData Manager Workgroup Edition (GDM-WE)** can help your company management data collection, compliance validation, substance analysis, and product-level full disclosure of chemical substances, read on for a step-by-step example of **GDM-WE** features.

1) Data Collection Management

- Import the data you have collected through Excel, IPC-1752 or IPC-1752A XML, or have GreenSoft collect the data and deliver to you through GreenSoft PartData XML format.
- Data can be imported automatically through the Auto PartData Import Module (optional).
- Examine and validate EU RoHS status and Exemption Status provided by suppliers.
- Validate the aggregated substance weight against the component weight or subpart weight with userdefined tolerance.
- Validate the document collection status and expiration status. Receive alerts 30-days before documents expire.

୍ଦ୍ୱିଲ GreenData Mana	iger - WE (with Component	Disclosure Modul	e) - [Item Mast	er]										
GreenData	Manager Wi	E with Corr	ponent [Disclosure M	Vlodule									
System Conf	lict Minerals Manager	nent Extende	d Minerals N	lanagement I	tern Master BOM	Repo	orts Help	Logged i	in as:	Randy	Flinders			
Item Master	-			-										
The Item Master pa	ge quickly summarizes your gre	een data. Get a statu	us update on part	s with incomplete data	a, parts that are not in cor	npliance wi	th required regulatio	ns, and par	rts with	associate	ed documents.			
Summary Number of PN in Ite	m Masterlisted / total: 69/6	9	Number of MFG	in tem Masterlisted	/total: 38/51		Exact search for	or Internal/1	Manufac	cturer PN	Close			
Search Panel				Status Filter										
Internal PN:				EU RoHS Status	Intersected > 100 Selected > 100	~	Requirement Status	s: <not sel<="" td=""><td>lected></td><td></td><td>✓ Search</td><td></td></not>	lected>		✓ Search			
Manufacturer PN:	Part :	Series/Family:		R2 Status:	<not selected=""></not>		MCD Type:	<not sel<="" td=""><td></td><td></td><td>~</td><td></td></not>			~			
Manufacturer:	I			R3 Status:	<not selected=""></not>		Collection Status:	<not sel<="" td=""><td></td><td></td><td>~</td><td></td></not>			~			
Description:				R4 Status:	<not selected=""></not>		Collection Phase:	<not sel<="" td=""><td></td><td></td><td>Y Reset /</td><td></td></not>			Y Reset /			
Item Type:	Al			Expiry in :	30 Days		Lifecycle Status:	<not sel<="" td=""><td></td><td></td><td>✓ Reload</td><td></td></not>			✓ Reload			
Page Navigation: Rule Selection	< Prev Row: 1	to 69 Pg: 1/1	Next >	<not< td=""><td>Selected></td><td>~</td><td>MCV Version:</td><td><not sel<="" td=""><td>lected></td><td></td><td>~</td><td></td></not></td></not<>	Selected>	~	MCV Version:	<not sel<="" td=""><td>lected></td><td></td><td>~</td><td></td></not>	lected>		~			
		ОК	Add New Item	Delete	Manage Second Sou		Set as Primary		14	w Notific	and losses			
	HS	UK	Import from Exc	and the second se			Import MCD fro	m Excel		port Rule	and the second se			
R2 · REACH S	/HC (233)	~	IEC-62474 Exp				Customer Com	plance Rep	port Su	bstance	Matrix Report			
R3 · PFAS Sca	n	~	Substance Ana		IN INSTANT IN THE PART INTERPART IN THE PART INTER INT									
R4 - China Rol	IS	~	Grand Report Import Special		Export Parts List Import MCV from Excel CA Prop 65 Report Substance In from Excel Component Disclosure Report					Inquiry				
Item Master List			In a second s		STITUTE CONTRACTOR									
• : OK/Passed	• Not Ready/Failed 0:	Invalid Entry/Incon	nplete 😐 Do	cument Expired	Passed with Exemp	tion 🗖	Subpart Info Inco	omplete	= : Su	ibpart Fa	ailed 🔾 : Not App	licable		
IPN	MFG	MFG PN	MR	G Code	Description	Requirem Status		R2 Status S	R3 Itatus	R4 Status	Collection Status	MCD Type		
0022-10034-22	ON SEMICONDUCTOR	TL431AIDG		IC, ADJUST	ABLE PRECISION S	•	•	•	•	•	Completed and D	Full Disclosure		
0022-10034-22	TI	TL431AIDG4		IC, ADJUST	ABLE PRECISION S	•	•	•	•	•	Completed and D	Full Disclosure		
0022-10036-005	MAXIM INTEGRATED PR	MAX811TEUS+T		IC,MPU RE	SET,3.08V TRIP,SOT	٠	•	•	•	٠	Completed and D	Full Disclosure		
0022-10036-005	STMICROELECTRONICS	STM811TW16F		IC,MPU RE	SET,3.08V TRIP,SOT	٠	•	• • • •		Completed and D	Full Disclosure			
0022-10036-02	VENKEL	C0603C0G500-220	UNP	CAPACITO	R, CERAMIC, 50V, CO	٠	•	•	•	٠	Completed and D	Full Disclosure		
0022-10036-10	AVX	TAJA106K010R		CAP,3216,1	0 UF, 10%, 10V, TANT,	•	•	•	•	•	Completed and D	Full Disclosure		

CONTACT US

Learn More and Request a Demo

info@greensofttech.com

www.greensofttech.com



2) Compliance Validation and Gap Analysis

- Determine compliance status of parts and BOMs immediately. Perform Gap Analysis on selected products (BOMs) for incomplete parts or non-compliance parts inside each BOM.
- Perform compliance validation on one of 27 built-in regulations, or define your own rules per your customers' requirements.
- Perform compliance validation on one regulation for one BOM, or multiple regulations for multiple BOMs.
- Export compliance report and Gap Analysis report to Excel, or report BOM-level compliance in IPC-1752A/IEC 62474 formats.

BOM De		ailed o: Invalid Entry/Incor	nplete 🌒: Docum	ent Exp	pired (Passed with Exemption	Subpart Info Ir	ncomplet	e 📕 : Subp	art Failed	⊖ : Not	Applic	able	
Level	BOM ID/IPN	MFG Name	MPN	MFG Code	2nd Source	BOM Name/Description	Excluded	Match Status	Requirement Status	EU RoHS Status		R3 Status	R4 Status	Quantity
0	C15-Simple					Control Board M590 , DIV-15-1		•	•	•	•	•	•	
1	1001-150							•	•	•	•	•	•	1
2	0022-10036-02	VENKEL	C0603C0G500-2			CAPACITOR, CERAMIC, 50V, C0	No	•	•	•	•	0	•	15
2	0022-10036-10	AVX	TAJA106K010R			CAP,3216,10 UF,10%,10V,TANT	No	•	•	•	•	0	•	8
2	0022-10036-005	MAXIM INTEGRATED PRO	MAX811TEUS+T			IC,MPU RESET, 3.08V TRIP, SO	No	•	•	•	•	0	•	10
2	0022-10036-12	ON SEMICONDUCTOR	1SMB170AT3G			ZENER TRANSIENT VOLTAGE	No	•	•	•	0	0	•	2

3) Product Compliance Report

- Validate compliance at the product-level on a specific compliance regulation or any customer-specific requirements.
- Roll-up weight and ppm for each substance or substance group at the product-level or at the component-level (as required for article analysis per the interpretation/definition of an "article" under the EU REACH regulation).
- Generate compliance status for each substance or substance group at the product-level.
- Conduct partial analysis during the data collection process and generate Gap Analysis report for incomplete parts.

See example BOM SVHC Report screenshot on the next page.

CONTACT US

Learn More and Request a Demo

info@greensofttech.com

www.greensofttech.com



Action Pan	el							
Rule Name:			\sim			Generate	Close	,
BOM Profile:			*		been calculated by ag with incomplete infom Source	Export	Export	
Item No	Туре	Substance Name		CAS Number	EC Number	Threshold	Units	Compliance
	7	7	V	,	7 7	7	7 7	
1	Substance	triethyl arsenate	1	15606-95-8	427-700-2	1000.000	ppm	Passe
2	Substance	Sodium dichromate	1	10588-01-9	234-190-3	1000.000	ppm	Passed
3	Substance	lead hydrogen arsenate	7	7784-40-9	232-064-2	1000.000	ppm	Passe
4	Group	Hexabromocyclododecane (HBCDD)				1000.000	ppm	Passe
5	Substance	Dibutyl phthalate (DBP)	\$	84-74-2	201-557-4	1000.000	ppm	Passe

4) Due Diligence Report for EU RoHS

- Generate BOM-level due diligence reports as part of the technical documents for CE Mark per IEC EN 63000.
- List unique parts list from the BOM with EU RoHS compliance status and due diligence documents such as Certificates of Compliance (CoC) or lab test reports or FMD documents. All documents are hyperlinked and accessible through simple clicks.


Iten No	Internal PN	Manufacturer Name	Manufacturer PN	Description	2nd Source	Quantity	Units	Match Status	EU RoHS Status	EU RoHS CoC Status	EU ROHS POC Status	EU RoHS PoC Notes	EU RoHS PoNC Status
1	0022- 10036- 02	VENKEL	C0603C0G500-220JNP	CAPACITOR, CERAMIC, 50V, COG, 5%, 0603, 22 PF, ROHS COMPLIANT	N	39	EA	Exact Match	Passed	CoC10 VENKEL C0603C0G500-220JNP 060119.pdf	Not Present		Not Present
2	0022- 10036- 10	AVX	TAJA106K010R	CAP,3216,10 UF,10%,10V,TANT,RoHS COMPLIANT	N	23	EA	Exact Match	Passed	CoC10 AVX TAJA106K010R 111222.pdf	Not Present		Not Present
3	0022- 10036- 12	ON SEMICONDUCTOR	1SMB170AT3G	ZENER TRANSIENT VOLTAGE SUPPRESSOR, 170V, 600W, DO- 214AA, ROHS COMPLIANT	N	2	EA	Exact Match	Incomplete	Not Present	Not Present		Not Present
4	0022- 10036- 18	NICCOMP	NMC0805NPO102J100TRPLPF	CAP,0805,1.0 NF,5%,100V,COG,RoHS COMPLIANT	N	12	EA	Exact Match	Passed	CoC10_NIC_NMC0805NPO1023100TRPLPF_111222.pdf	Not Present		Not Present
5	0022- 10036- 20	ROHM	RL54148TE11C2		N	4	EA	Exact Match	Passed with Exemption	CoC2-S_ROHM_RLS4148TE11C_121213.pdf	Not Present		Not Present
6	0030- 00150- 001	VENKEL	CR0402-16W-6042FT	RES,0402,60.4K OHM,1%,1/16W,50V,RoHS COMPLIANT	N	7	EA	Exact Match	Passed with Exemption	CoC10 VENKEL CR0402-16W-6042FT 060119.pdf	Not Present		Not Present
7	0030- 00150- 001	YAGEO	RC0402FR-0760K4L	RES,0402,60.4K OHM,1%,1/16W,50V,RoHS COMPLIANT	N	13	EA	Exact Match	Passed with Exemption	CoC10 YAGEO RC0402FR-0760K4L 122819.pdf	Not Present		Not Present

CONTACT US

Learn More and Request a Demo

info@greensofttech.com

www.greensofttech.com



5) Product-Level Full Disclosure

- List of all substances used in the product (Product DNA).
- Roll-up weight and ppm for each substance to product level.
- Product level EU RoHS compliance status included.
- Product level EU REACH Substances of Very High Concern (SVHC) compliance status included.
- Export product level full-disclosure report to Excel, IPC-1752, IPC-1752A , or IEC 62474 XML format.
- Exception Report list for parts unable to be included in product rollup.

Product Level Disclosure Generates Product Level full Disclosure for the selected BOM. Export the report to Excel or to IPC-1752 Class-6 XML or IPC-1752A XML. Include Exemptions of Parts without FMD in Homogenee	ances/Groups Close
to IPC-1752 Class-6 XML or IPC-1752A XML.	
	·
Product Profile	
BOM ID: C15-Simple BOM Name: Control Board M590 , DIV-15-1 Project:	Backup BOM
Revision: BOM Mass (g): 98.116292000000 * Mass has been calculated by aggregation Unique Parts Count: 20	
EU RoHS Profile	
EU RoHS Status: Passed with Exemption * Excluding 2nd sources & incomplete parts. Exceptions: 1 Exception Report Exemptions: R2-7a, R2-7	7c1 Exemption Report
EU RoHS-2 New Substances Profile	
EU RoHS-2 New Substances Status: Passed * Excluding 2nd sources & incomplete parts. Exceptions:	BOMCheck IPC
REACH SVHC Profile	
Rule Name: REACH SVHC (235) V REACH SVHC Status: • Passed * Excluding 2nd sources & incomplete parts. Exceptions:	15 Exception Report
Full Material Declaration	
Supplier & Declaration Information Product Level Translation for Homogeneous Exports	Homogeneous
Name: ABC Company I Export Manufacturer Name: Actual Manufacturer Name V	IEC 62474
Company ID: Company ID: Actual Manufacturer PN: Actual Manufacturer PN V	
IPC 1/52 Exact POM are the Start Pom are the	IPC 1752
Unique ID: IPC 1752A	IPC 1752A
Site URL: Excel Include and source Guantity multiplier will be 0 for the 2nd so	Excel
Product Level Substance Disclosure Table Disclosure Exceptions: 3 Exception Report Other Substances Lis	st Proprietary Substances List
	x <u>Proprietary Substances List</u>
# Substance Name CAS Number Mass (g) Concentration (p MCV (ppm) at Co MCV (ppm)	at Art MCV (ppm) at Ho
1 Strontium oxide 1314-11-0 0.007898475000 80.501 110762.516 130	0000.000 130000.000
2 Calcium oxide 1305-78-8 0.009113625000 92.886 127802.903 150	0000.000 150000.000
	0000.000 500000.000
	9788.608 119788.608
	0000.000 150000.000
	0000.000 50000.000
	0000.000 100000.000
	1285.403 991285.403
	0000.000 100000.000 9900.000 119900.000
	110000000000000000000000000000000000000

CONTACT US

Learn More and Request a Demo

info@greensofttech.com

www.greensofttech.com



6) Automation of PartData Import & BOM Import (Optional)

- Complete automation of importing the PartData files if GreenSoft is doing data collection for you.
- Complete automation of importing BOMs from your ERP/PLM system.
- Frees you from the manual work of updating PartData. Simply select the desired BOM and click to generate compliance reports instantly.

Do not use proxy 🔿 Ui	se proxy settings		Customerikey 3002FCA1-98A8-4534-AD58-47DA7577	7DF7 Tes	t Connection					
Proxy Settings			Configuration Preferences							
Proxy address			Frequency to check for new data files (minutes) 15							
Proxy port			Ide tine between downloads (seconds) 5							
Domain (if required)					O Overvet					
Usemame (f required)			Enable download Automatic import option: O Merge							
Password (f required)										
			Save Configurations and Restart							
PartData Sync Statistics			CMData Sync Statistics EMData Sync Statist	lics						
Description	GreenSoft Stats	Your Stats	Description	Green Soft Stats	Your Stat					
Number of Part Numbers in IM	0	35	Declaration Scope as Company'	0	21					
Number of Manufacturers in IM	0	20	Declaration Scope as 'Product (or List of Products)'	0	2					
MCD Type as 'Full Disclosure'	0	31	Declaration Scope as 'User defined'	0	9					
Number of Parts with only MCV Data	0	3	Collection Status as Delivered	0	0					
Lifecycle Status as 'Active'	0	32	Collection Status as Pending at GreenSoft/Supplier	0	0					
Lifecycle Status as 'Obsolete'	0	3								
EU RoHS Status as 'Passed'	0	24	Collection Status as 'Escalated'	0	0					
EU RoHS Status as 'Passed with Exemption'	0	9	Collection Status as 'Unknown'	0	35					
EU RoHS Status as 'Failed'	0	1								
Exception Status		File Count	Check Now							
Gueued		0	Retry							
Error		0								

Minimum Requirements

Server:

- Microsoft Windows 10 or Windows Server 2016/2019 (including R2)
- .NET Framework 4.8 or above
- Microsoft SQL Server 2016/2017/2019 Standard/Enterprise Edition
- CPU: Dual Core 2GHz or above; RAM: 8GB or above; HDD: 100GB or above

Client:

- Microsoft Windows 10 or Windows Server 2016/2019 (including R2)
- .NET Framework 4.8 or above
- Adobe Acrobat 9.0 or above
- Microsoft Office tools (such as Excel)
- CPU: 2GHz or above; RAM: 4GB or above; HDD: 5GB or above

GreenSoft **TECHNOLOGY. INC.**





member

Corporate Headquarters North America/Europe

GreenSoft Technology, Inc. 155 S. El Molino, Suite 100 Pasadena, CA 91101 USA

- Tel: (323) 254-5961
- info@greensofttech.com

Asia/China/Taiwan/Japan Jon Wu

- +886-912-307-627
- jwu@greensofttech.com

Europe/Scandinavia

RoHS Management Oy

- +358-44-981-2787
- sales_europe@rohsmanagement.com

Israel

Rokah Technologies

- +972-3-9360688
- reuven@rokah-technologies.com